Safe digging is no accident. Always call 811 before digging.

Great Faces. Great Places. South Dakota One Call

**Know what's below. Call before you dig.**

811®

**TO:** **Don Runge**

**FROM:** **SOUTH DAKOTA ONE CALL NOTIFICATION BOARD**

**DATE:** **AUGUST 24, 2011**

**RE:** **NOTICE OF COMPLAINT; DEADLINE FOR ANSWER;**

**In the Matter of the Complaint OC11-007 filed by Southeastern Electric Cooperative, Inc. against Don Runge, regarding failure to notify the South Dakota One Call Notification Center prior to excavating as required by SDCL 49-7A-5, SDCL 49-7A-9 liability for damage, and Administrative Rule 20:25:03:05:03 Excavator responsibilities when working near markings.**

**You are hereby notified that the enclosed complaint as referenced above has been filed with the South Dakota One Call Notification Board against Don Runge. Pursuant to SDCL 49-7A-23 & SDCL 49-7A-24, you are required to answer this complaint in writing, no later than the close of business on September 13, 2011 by filing a copy of the answer at the address listed below <u>or</u> you may file your response electronically at http://www.state.sd.us/puc/EFilingOptions.aspx. You must also serve a copy on the complainant,**

South Dakota One Call Notification Board
c/o Public Utilities Commission
500 East Capitol Avenue
Pierre, SD 57501

Your answer should be as thorough and detailed as possible and should include any documentation that supports your position e.g. witness statements, pictures, etc. We would encourage you to specifically address the alleged violation of SDCL 49-7A-5, SDCL 49-7A-9, and Administrative Rule 20:25:03:05:03 referenced in the complaint:

Don Runge was discovered digging within 18" of a flagged locate by the Medical Court, approximately 100 feet west on 69th Street, Sioux Falls, SD on May 31, 2011 without a locate ticket. Damage of service occurred.

Pursuant to SDCL 49-7A-22 a panel of Board members will make a determination of probable cause based on the complaint and associated response. If probable cause is determined, the panel may recommend penalties under SDCL 49-7A-18 or SDCL 49-19. If any financial penalties are assessed in response to Complaint OC11-007 the amount will be based on the factors noted in SDCL 49-7A-26 which are as follows:

1. The amount of damage
2. The degree of threat to the public safety, and
3. The public inconvenience caused;
4. The respondent's plans and procedures to insure future compliance with statute and rules;
5. Any history of previous violations;
6. Other matters as justice requires.

You may address any of these items in your response if you believe it would be of value to the Enforcement Panel when they consider this complaint.

Pursuant to SDCL 15-6-55, failure to answer this Complaint could result in a default judgment being issued against you. Appropriate liens and other legal collection actions could result. You are strongly urged to reply to this Notice in the time frame described above and to obtain the advice of counsel should you have any legal questions.

A copy of the Operations Manual for Facility Operators and Excavators, the South Dakota One Call Statute and associated Administrative Rules are available on our web site www.sdonecall.com.

Procedural questions may be directed to Larry Janes, Executive Director to the South Dakota One Call Notification Board, at 605-339-0529 or by email to exedir@sdonecall.com. I would request that you do not contact any members of the South Dakota One Call Notification Board to discuss this complaint. Since they may be involved in the Enforcement Panel review and/or a Chapter 1-26 hearing to resolve of the complaint, they have been advised by legal counsel to not discuss any pending complaint before the Board.

Enclosure: Copy of complaint

cc: Tim Chance (via email)